	Iscape character type	Sur LC for Jak LC	CT 1 - Intensive agriculture or čin settlement / F 2 - Ilntensive agriculture wit ests on eluvial and fluvial relie tovo and Bečmen F 3 - Intensive agriculture with ests on the alluvial plain of the	h elements of remnant of in the settlements of n elements of remnant
	dscape character	////		
	nents			
Stud	ly area Surčin	Point number	T1-T19 T	oponym
	LC ro		Aerodrom blikola Tesla T2 Surčin T1 11 T7 Jakovo	
		TIB	• LCT:	3
1	View of the area	3 - widely perceptible		3 1 – poorly perceptible (hidden)
1	View of the area         Degree of openness	3 - widely perceptible 3 - third plan		1 – poorly perceptible
2			2 - partially perceptible	1 – poorly perceptible (hidden)
	Degree of openness	3 - third plan	2 - partially perceptible 2 - second plan	1 – poorly perceptible (hidden) 1 - first plan
2 3 4	Degree of openness Landscape diversity	3 - third plan 3 - divers	2 - partially perceptible 2 - second plan 2 - moderate	1 – poorly perceptible (hidden) 1 - first plan 1 - simple
2 3	Degree of openness         Landscape diversity         Balance         Existance of water	3 - third plan 3 - divers 3 - balanced	2 - partially perceptible 2 - second plan 2 - moderate 2 - moderate	1 – poorly perceptible (hidden) 1 - first plan 1 - simple 1 - chaotic
2 3 4 5	Degree of openness         Landscape diversity         Balance         Existance of water surfaces (EVS)	<ul> <li>3 - third plan</li> <li>3 - divers</li> <li>3 - balanced</li> <li>3 - high</li> <li>3 - high connection</li> </ul>	<ul> <li>2 - partially perceptible</li> <li>2 - second plan</li> <li>2 - moderate</li> <li>2 - moderate</li> <li>2 - medium</li> <li>2 - low connection</li> </ul>	1 - poorly perceptible       (hidden)       1 - first plan       1 - simple       1 - chaotic       1 - low
2 3 4 5 6 7 8	Degree of openness         Landscape diversity         Balance         Existance of water surfaces (EVS)         Edges         Shapes in the	<ul> <li>3 - third plan</li> <li>3 - divers</li> <li>3 - balanced</li> <li>3 - high</li> <li>3 - high connection (compact)</li> <li>3 - expressed</li> </ul>	<ul> <li>LCT:</li> <li>2 - partially perceptible</li> <li>2 - second plan</li> <li>2 - moderate</li> <li>2 - moderate</li> <li>2 - moderate</li> <li>2 - medium</li> <li>2 - low connection (compact, no trees)</li> <li>2 - weakly expressed</li> </ul>	1 - poorly perceptible         1 - first plan         1 - simple         1 - chaotic         1 - low         1 - fragmented

# LCT 1 - INTENSIVE AGRICULTURE ON THE LOESS PLAIN OF THE SURČIN SETTLEMENT

Landscape character elements Linear settlement aliong local roads (Surčin, Dobanovci linear forms of green infrastructure	fragmented
Study area         Surčin         Point number         T1         Toponym         Surčin	1



1	View of the area	3	2	1
2	Degree of openness	3	2	1
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VAI SENSITI	LUE OF VISUAL /ITY	2 (15)		

Landsca	pe charact	er type			Intensive ag ćin settleme		the loe	ess plain of
Landsca	pe charact	er elements	The geomet shelterbelts	tric form of	agricultural	fields, local ı	roads, lir	
Study are	ea	Surčin	Point numb	ber	T2	Toponym		Železnička stanica Surčin
								de
					al and the second	and the second se		
		A Martine Contract		the logic				
		1000 CAR						
						A.		
		MARKA K		With				
1	View of th	ne area	3		2		1	
2	Degree o	f openness	3		2		1	
3	Landscap	be diversity	3		2		1	
4	Balance		3		2		1	
5	Existance surfaces	e of water (EVS)	3		2		1	
6	Edges		3		2		1	
7	Shapes ii image	n the landscape	3		2		1	
8	image	he landscape	3		2		1	
SUM VAI	LUE OF VIS VITY	SUAL	3 (20)					

ter elements Surčin	Linear form of fields, local r Point numb	oads	erbelts, geometric for	
Surčin			Toponym	<b>—</b> •
			roponym	Dubanovci
	Realize.	Aray Steam		
the second	Mar Electron	and the second second second		
	No. Contact			- ASTRON
				and the second s
				Contract of
	and the second			
the area	3	2	1	
of openness	з	2	1	
openness	3	2	1	
pe diversity	3	2	1	
	3	2		
	the area of openness ape diversity	of openness 3	of openness 3 2	of openness 3 2 1


Existance of water surfaces (EVS)

Shapes in the landscape image

Color in the landscape image

Edges

SUM VALUE OF VISUAL SENSITIVITY 2 (18)



1	View of the area	3	2	1
2	Degree of openness	3	2	1
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VA	LUE OF VISUAL VITY	2 (15)		

Landso	cape character type		LCT 1 - the Sur	Intensive a čin settleme	griculture on the lo ent	ess plain of
Landso	cape character elements		Sheltert	oelt, highway	, walkway	
Study a	area Surčin	Point num	ber	Т5	Toponym	Highway E75, Airport Nikola Tesla
			1 1 1 1 1 1			
1	View of the area	3		2	1	
2	Degree of openness	3		2	1	
3	Landscape diversity	3		2	1	
4	Balance	3		2	1	
5	Existance of water surfaces (EVS)	3		2	1	
6	Edges	3		2	1	
•						
	Shapes in the landscape image	3		2	1	
7 8		3		2	1	

## LCT 2 - IINTENSIVE AGRICULTURE WITH ELEMENTS OF REMNANT FORESTS ON ELUVIAL AND FLUVIAL RELIEF IN THE SETTLEMENTS OF JAKOVO AND BEČMEN

Lands	cape character	type		remna	nt forests	e agriculture wi on eluvial and f akovo and Bečn	luvial relief in the
	cape character		Wetlands, s	and exp	loitation,		
Study	area	Surčin	Point numb	ber	T6	Toponym	Kumša, Jakovo
	and the second s			aller			
2 - 2 A							
	View of the	area	3		2		1
2	Degree of o	openness	3		2		1
3	Landscape	diversity	3		2		1
4	Balance		3		2		1
5	Existance of surfaces (E		3		2		1
6	Edges		3		2		1
7	Shapes in t image	the landscape	3		2		1
8	Color in the image	e landscape	3		2		1

Landscape ch	haracter type		remnant	forests on e	riculture witl eluvial and flu vo and Bečm	h elements of uvial relief in the en
Landscape ch	haracter elements	Agricultural a agricultural f	areas of Ja ields. frag	akovo settlen mented shel	nents, geomet terbelts.	trical/regular form of
Study area	Surčin	Point numb		T7	Toponym	Jakovo
1 Viev	w of the area	3		2		1
	w of the area gree of openness	3 3		2		1

		-		-
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VA	LUE OF VISUAL VITY	2 (18)		·

### Landscape character type

# LCT 2 - IIntensive agriculture with elements of remnant forests on eluvial and fluvial relief in the settlements of Jakovo and Bečmen

Landscape character elements

Wetland, Organic form of coastal vegetation, form of forest remains,



1	View of the area	3	2	1
2	Degree of openness	3	2	1
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VA	LUE OF VISUAL VITY	3 (23)		

Landscape c	haracter type		remnan	t forests o	agriculture w on eluvial and kovo and Beč	ith elements of fluvial relief in th men	Ie
Landscape c	haracter elements	Geometrica agricultural			cultural fields o	f Bečmen, remair	ns of
Study area	Surčin	Point numb	per	Т9	Topony	ym Bečme Trskov	
	and the			here			
		Contraction of the					
6 49 49 49 49 49 49 49 49 49 49 49 49 49	ૼઌ૾ઌ૱૾૾૱ૺ૾ૼ૽૱ૹ		A. S. S. S.	t and a the	જેનું કર્ડ્રક લેટ્સ	ne menter	Ale (
					and the second	*	
and the second	March Halts 1972	Muster D	The second second	NESS IN		1. Martine	
	and the second second	and the second se		and the second second	a surface of the second second		
1 Vie		A State		the second second			
	w of the area	3		2	ander det en en ser i de la social de della part	1	
	w of the area	3		2	ne ek (m. 1999). An an	1	
2 Deg	gree of openness	3		2		1	
2 Deg							
2 Deg 3 Lar	gree of openness	3		2		1	
2 Deg 3 Lar 4 Bal	gree of openness	3		2		1	
2 Deg 3 Lar 4 Bal 5 Exi sur	gree of openness ndscape diversity lance	3 3 3		2 2 2		1 1 1	
2 Deg 3 Lar 4 Bal 5 Exi 5 Edg 7 Sha	gree of openness ndscape diversity lance stance of water faces (EVS)	3 3 3 3 3		2 2 2 2		1 1 1 1	
2 Deg 3 Lar 4 Bal 5 Exi 5 Edg 7 Sha ima	gree of openness ndscape diversity lance stance of water faces (EVS) ges apes in the landscape	3 3 3 3 3 3		2 2 2 2 2 2		1 1 1 1 1 1	

			LCT 2 - IIntensive agriculture with elements of remnant forests on eluvial and fluvial relief in the settlements of Jakovo and Bečmen cal/regular form of agricultural fields of Petrovčić, remains of al shelterbelts, Petrovčić settlement			
C Se					in the last	

1	View of the area	3	2	1
2	Degree of openness	3	2	1
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VA	LUE OF VISUAL VITY	3 (20)		

Landscape character elements		Linear settlemen	t aliong local ro	kovo and Bečmer ads (Bečmen, Petr	
Study area	Surčin	fragmented linea	T11	Toponym	Bečmen, Petrovčić, Jakovo

1	View of the area	3	2	1
2	Degree of openness	3	2	1
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VA	LUE OF VISUAL VITY	1 (14)		

## LCT 3 - INTENSIVE AGRICULTURE WITH ELEMENTS OF REMNANT FORESTS ON THE ALLUVIAL PLAIN OF THE SAVA COAST

Landscape character type		LCT 3 - Intensive agriculture with elements of remnant forests on the alluvial plain of the Sava coast				
Landscape character elements	Coastal vege	astal vegetation, rafts, portable buildings				
Study area Surčin	Point numbe	r T12	Toponym	Sava, Umka		

SUM VA	LUE OF VISUAL VITY	3 (19)		
8	Color in the landscape image	3	2	1
7	Shapes in the landscape image	3	2	1
6	Edges	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
4	Balance	3	2	1
3	Landscape diversity	3	2	1
2	Degree of openness	3	2	1
1	View of the area	3	2	1

Landscape character type			LCT 3 - Intensive agriculture with elements of remnant forests on the alluvial plain of the Sava coast				
Landsca	pe characte	er elements	The geomet shelterbelts,	eometric form of agricultural fields, fragmented linear probelts, riparian vegetation			
Study ar	Study area Surčin		Point numb	er	T13	Toponym	Vrbača

-		0	2	
2	Degree of openness	3	2	1
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VA	LUE OF VISUAL VITY	3 (19)		

Landscape character type			LCT 3 - Intensive agriculture with elements of remnant forests on the alluvial plain of the Sava coast			
Landsca	pe character elements	River Sava,	rafts, portable buildir	ngs, port, riparian	vegetation	
Study ar	ea Surčin	Point numb	ber T14	Toponym	Sava, Boljevci	
1	View of the area	3	2	1		
	View of the area         Degree of openness	3 3	2 2 2	1		
2						
1 2 3 4	Degree of openness	3	2	1		

3 (20)

Edges

SUM VALUE OF VISUAL SENSITIVITY

Shapes in the landscape image

Color in the landscape image

### Landscape character type

LCT 3 - Intensive agriculture with elements of remnant forests on the alluvial plain of the Sava coast

Landscape character elements

Linear settlement of Boljevac settlement, rain garden/ rain canals fragmented linear form of green infrastructure.



1	View of the area	3	2	1
2	Degree of openness	3	2	1
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VA SENSITI	LUE OF VISUAL VITY	2 (18)		

Landscape character type			LCT 3 - Intensive agriculture with elements of remnant forests on the alluvial plain of the Sava coast			
Landsca	pe character elements	Wetland, ripa	nd, riparian vegetation, wetland vegetation			
Study are	a Surčin	Point numb	er T16	Toponym	Živača, Boljevci	
a siland	and the second		S. A. S. S.		and the second second	
		parties.		and the second	2	
					- And	
				and the		
					A BARA	
		1				
			- CAL			
		The				
			En -		The second second	
1		Sec.		Sun el		
-	View of the area	3	2	<b>D</b>		
	View of the area	3	2	1		
2	View of the area Degree of openness	3 3	2 2	1		
3	Degree of openness	3	2	1		
3	Degree of openness Landscape diversity	3	2	1		
2 3 4 5 6	Degree of openness Landscape diversity Balance Existance of water	3 3 3 3	2 2 2 2	1 1 1		
3 4 5	Degree of openness Landscape diversity Balance Existance of water surfaces (EVS)	3 3 3 3 3 3 3	2 2 2 2 2 2	1 1 1 1 1		
3 4 5 6 7 8	Degree of openness Landscape diversity Balance Existance of water surfaces (EVS) Edges Shapes in the landscape	3 3 3 3 3 3 3	2 2 2 2 2 2 2 2	1 1 1 1 1 1		

Landscape character type			LCT 3 - remnar coast	Intensive ant forests of	agriculture with n the alluvial pla	elements of in of the Sava
Landsca	pe character elements	Local road, fields.	road, deciduous forest remnants, geometric form of agricultural			
Study ar	ea Surčin	Point numb	ber	T17	Toponym	Bojčin
1	View of the area	3		2	1	
2	Degree of openness	3		2	1	
3	Landscape diversity	3		2	1	
4	Balance	3		2	1	
	Dalance					
5	Existance of water surfaces (EVS)	3		2	1	
	Existance of water	3		2	1	
6	Existance of water surfaces (EVS)					
5 6 7 8	Existance of water surfaces (EVS) Edges Shapes in the landscape	3		2	1	

Landscape character type			LCT 3 - Intensive agriculture with elements of remnant forests on the alluvial plain of the Sava coast			
Landscape chara	acter elements	Linear form	Linear form of deciduous forest remnants, pastures, local road			
Study area	Surčin	Point numb	er T18	Toponym	Crni lug	
View o	of the area	3	2	1		
	of the area e of openness	3 3	2 2 2	1		
2 Degree						
2 Degree 3 Lands	e of openness cape diversity	3	2	1		
2 Degree 3 Lands 4 Balance 5 Exista	e of openness cape diversity	3	2	1		
2 Degree 3 Landse 4 Balance 5 Exista	e of openness cape diversity ce nce of water es (EVS)	3 3 3	2 2 2 2	1		

Color in the landscape image

SUM VALUE OF VISUAL SENSITIVITY 3

3 (19)

2

1

8

Landscape character type		LCT 3 - Intensive agriculture with elements of remnant forests on the alluvial plain of the Sava coast			
Landscape character elements	Riparian vegetation	Riparian vegetation, river canal			
Study area Surčin	Point number	T19	Toponym	Sava, Crni lug	

1	View of the area	3	2	1
2	Degree of openness	3	2	1
3	Landscape diversity	3	2	1
4	Balance	3	2	1
5	Existance of water surfaces (EVS)	3	2	1
6	Edges	3	2	1
7	Shapes in the landscape image	3	2	1
8	Color in the landscape image	3	2	1
SUM VALUE OF VISUAL SENSITIVITY		3 (19)		




Table 1. Levels of visual sensitivity of LCT

Landscape character type	Number of photo	mber of photo Value of photo		SUM VALUE OF VISUAL SENSITIVITY of LCT	
ТКР1	T1	2			
	T2	3		medium	
	Т3	2	2		
	T4	2			
	Т5	3			
	Т6	2		medium	
	T7	2	2		
ТКР2	Т8	3			
	Т9	2			
	T10	3			
	T11	1			
ТКРЗ	T12	3	3	high	
	T13	3			
	T14	3			
	T15	2			
	T16	3			
	T17	2			
	T18	3			
	T19	3			